CLAIMS

1. A modular shelving system having a major length direction and a minor width direction, comprising:

2

4

6

8

10

12

2

2

a plurality of modular upright support units to be spaced from each other in said length direction and each unit including a plurality of generally horizontal through passages for receiving and respectively supporting a plurality of elongated shelf-supporting rails of varying lengths to allow for varying the length of the shelving system as well as varying the spacing between the support units, some of the through passages being located at lower areas of the support units to position some of the supporting rails for supporting an appropriate lower shelf, and other of the through passages being located at upper areas of the support units to position other of the supporting rails for supporting an appropriate upper shelf.

- 2. The modular shelving system of claim 1 wherein each of said modular upright support units includes a front upright post and a rear upright post joined by cross brace means.
- 3. The modular shelving system of claim 2 wherein said cross brace means include an upper cross brace and a lower cross brace.
- The modular shelving system of claim 3 wherein said upper
 and lower cross braces are aligned with respective pairs of upper and lower through passages in the front and rear upright posts.

5. The modular shelving system of claim 1 wherein said some of the through passages located at lower areas of the support units are completely enclosed through passages.

2

2

4

6

8

- 6. The modular shelving system of claim 1 wherein said other of the through passages located at upper areas of the support units are open notches near the tops of the support units.
- 7. The modular shelving system of claim 1 wherein each of said modular upright support units includes at least one outside upright post connected to a generally horizontal inside cross brace at a point aligned with one of said through passages, the upright post being vertically split on a line intersecting the through passage to form a pair of post parts which are separable to effectively open the through passage and, thereby, allow the cross brace to be connected to one of the post parts by an appropriate fastener inserted through the one post part from within the through passage.

| | 8. A modular shelving system having a major length direction |
|----|---|
| 2 | and a minor width direction, comprising: |
| | a plurality of modular upright support units to be spaced from |
| 4 | each other in said length direction and each unit including |
| | a front upright post and a rear upright post, each upright post |
| 6 | having an upper through passage and a lower through passage, the lower |
| | through passages being completely enclosed passages and the upper |
| 8 | through passages being open notches at the tops of the upright posts; |
| | upper and lower cross braces joining the front and rear upright |
| 10 | posts, the upper and lower cross braces being aligned with the upper and |
| | lower through passages, respectively, in the front and rear upright posts; |
| 12 | and |
| | whereby the through passages can receive and respectively |
| 14 | support a plurality of elongated shelf-supporting rails of varying lengths to |
| | allow for varying the length of the shelving system as well as varying the |
| 16 | spacing between the support units, the lower through passages thereby |
| | receiving lower rails for supporting an appropriate lower shelf and the upper |
| 18 | through passages receiving upper rails for supporting an appropriate upper |

shelf.

2

9. The modular shelving system of claim 8 wherein said upper and lower cross braces are aligned with respective pairs of upper and lower through passages in the front and rear upright posts. 10. The modular shelving system of claim 8 wherein each of said modular upright support units includes at least one outside upright post connected to a generally horizontal inside cross brace at a point aligned with one of said through passages, the upright post being vertically split on a line intersecting the through passage to form a pair of post parts which are separable to effectively open the through passage and, thereby, allow the cross brace to be connected to one of the post parts by an appropriate fastener inserted through the one post part from within the through passage.

| | 11. An upright support unit for a shelving assembly, compris- |
|----|--|
| 2 | ing: |
| | at least one upright post having at least one generally horizontal |
| 4 | through passage for receiving an elongated shelf-supporting rail; |
| | a generally horizontal cross brace connected to the upright post |
| 6 | at a point aligned with the through passage and projecting from the post |
| | generally perpendicular to the through passage; and |
| 8 | said upright post being vertically split on a line intersecting the |
| | through passage to form a pair of post parts which are separable to effec- |
| 10 | tively open the through passage and, thereby, allow the cross brace to be |
| | connected to one of the post parts by an appropriate fastener inserted |
| 12 | through the one post part from within the open through passage. |
| | |
| | 12. The upright support unit of claim 11, including a pair of |
| 2 | said vertically split upright posts at a front and a rear of the upright support |
| | unit, the posts being joined by said generally horizontal cross brace at points |
| 4 | aligned with through passages in the upright posts. |
| | |
| | 13. The upright support unit of claim 12 wherein said vertically |
| 2 | split upright posts include lower through passages to position supporting |
| | rails for supporting an appropriate lower shelf and upper through passages |
| 4 | to position supporting rails for supporting an appropriate upper shelf. |
| | |
| | 14. The upright support unit of claim 13 wherein said lower |
| 2 | through passages are completely enclosed through passages. |

- 15. The upright support unit of claim 13 wherein said upper through passages are open notches at the tops of the posts.
- 16. The upright support unit of claim 15 wherein said lower through passages are completely enclosed through passages.